Clinical Endocrinology (2004) **61**, iii–vii

Contents

Volume 61, Number 1, July 2004

Reviews

1 Growth hormone outgrows growth: S. M. SHALET

10 Thyroid stimulating monoclonal antibodies: overcoming the road blocks and the way forward: S. M. MCLACHLAN AND B. RAPOPORT

Original articles

19 Prediction of recurrence of nonfunctioning pituitary tumours by loss of heterozygosity analysis: H. N. BUCH, D. RASKAUSKIENE, A. BAHAR, E. J. BICKNELL, W. E. FARRELL AND R. N. CLAYTON

26 Preoperative identification of clearly separated double pituitary adenomas: K. KIM, S. YAMADA, M. USUI AND T. SANO

31 Plasma concentrations of α-MSH, AgRP and leptin in lean and obese men and their relationship to differing states of energy balance perturbation: N. HOGGARD, A. M. JOHNSTONE, P. FABER, E. R. GIBNEY, M. ELIA, G. LOBLEY, V. RAYNER, G. HORGAN, L. HUNTER, S. BASHIR AND R. J. STUBBS

40 The sodium-iodide symporter protein is always present at a low expression and confined to the cell membrane in nonfunctioning nonadenomatous nodules of toxic nodular goitre: M. TONACCHERA, P. VIACAVA, G. FANELLI, P. AGRETTI, G. DE MARCO, M. DE SERVI, C. DI COSMO, L. CHIOVATO, A. PINCHERA AND P. VITTI

46 Circulating immunoglobulins that inhibit the binding of follicle-stimulating hormone to its receptor: a putative diagnostic role in resistant ovary syndrome?: V. A. CHIAUZZI, L. BUSSMANN, J. C. CALVO, V. SUNDBLAD AND E. H. CHARREAU

55 Prepubertal gynaecomastia: aetiology, course and outcome: R. EINAV-BACHAR, M. PHILLIP, Y. AURBACH-KLIPPER AND L. LAZAR

61 Diagnostic value of serum thyroglobulin measurements in the follow-up of differentiated thyroid carcinoma, a structured meta-analysis: C. F. A. EUSTATIA-RUTTEN, J. W. A. SMIT, J. A. ROMIJN, E. P. M. VAN DER KLEIJ-CORSSMIT, A. M. PEREIRA, M. P. STOKKEL AND J. KIEVIT

75 Serum adiponectin concentrations predict the developments of type 2 diabetes and the metabolic syndrome in elderly Koreans: K. M. CHOI, J. LEE, K. W. LEE, J. A. SEO, J. H. OH, S. G. KIM, N. H. KIM, D. S. CHOI AND S. H. BAIK

81 Different effects of short- and long-term recombinant hGH administration on ghrelin and adiponectin levels in GH-deficient adults: C. GIAVOLI, V. CAPPIELLO, S. CORBETTA, C. L. RONCHI, P. S. MORPURGO, E. FERRANTE, P. BECK-PECCOZ AND A. SPADA

88 Cord plasma concentrations of adiponectin and leptin in healthy term neonates: positive correlation with birthweight and neonatal adiposity: P.-J. TSAI, C.-H. YU, S.-P. HSU, Y.-H. LEE, C.-H. CHIOU, Y.-W. HSU, S.-C. HO AND C.-H. CHU

94 Different states of clinical control are associated with changes in IGF-I and IGFBPs in children with congenital adrenal hyperplasia due to 21-hydroxylase deficiency: H. M. CUNHA, L. L. KAGOHARA ELIAS, C. CAMACHO-HÜBNER, A. C. MOREIRA AND C. E. MARTINELLI

102 Does iodine-131 *meta*-iodobenzylguanidine (MIBG) scintigraphy have an impact on the management of sporadic and familial phaeochromocytoma?: D. TAÏEB, F. SEBAG, J. G. HUBBARD, O. MUNDLER, J. F. HENRY AND B. CONTE-DEVOLX

109 No mutation in the *KCNE3* potassium channel gene in Chinese thyrotoxic hypokalaemic periodic paralysis patients: N. L. S. TANG, C. C. CHOW, G. T. C. KO, M. H. L. TAI, R. KWOK, X. Q. YAO AND C. S. COCKRAM

113 The effects of GH replacement therapy on cardiac morphology and function, exercise capacity and serum lipids in elderly patients with GH deficiency: T. ELGZYRI, J. CASTENFORS, E. HÄGG, C. BACKMAN, M. THORÉN AND M. BRAMNERT

123 A longitudinal study of bone-related biochemical changes at the menopause: B. E. CHRISTOPHER NORDIN, J. M. WISHART, P. M. CLIFTON, R. MCARTHUR, F. SCOPACASA, A. G. NEED, H. A. MORRIS, P. D. O'LOUGHLIN AND M. HOROWITZ

131 Saliva and bloodspot cortisol: novel sampling methods to assess hydrocortisone replacement therapy in hypoadrenal patients: V. WONG, T. YAN, A. DONALD AND M. MCLEAN

138 Assessment of disease activity in acromegaly by means of a single blood sample: comparison of the 120th minute postglucose value with spontaneous GH secretion and with the IGF system: F. MINUTO, E. RESMINI, M. BOSCHETTI, M. ARVIGO, M. P. SORMANI, M. GIUSTI, D. FERONE AND A. BARRECA

145 Completion thyroidectomy in patients with thyroid cancer who initially underwent unilateral operation: E. S. KIM, T. Y. KIM, J. M. KOH, Y. I. KIM, S. J. HONG, W. B. KIM AND Y. K. SHONG

149 Glucocorticoids contribute to the heritability of leptin in Scottish adult female twins: A. M. WALLACE, E. BANFIELD, M. INGRAM, R. FRASER, L. SWAN, W. S. HILLIS AND J. M. C. CONNELL

155 Head circumference and linear growth during the first 3 years in treated congenital hypothyroidism in relation to aetiology and initial biochemical severity: S. M. NG, S. C. WONG AND M. DIDI

160 **Erratum**

Author's Declaration

Instructions for authors

Clinical Endocrinology (2004) **61**, iii–vii

Contents

Volume 61, Number 1, July 2004

Reviews

1 Growth hormone outgrows growth: S. M. SHALET

10 Thyroid stimulating monoclonal antibodies: overcoming the road blocks and the way forward: S. M. MCLACHLAN AND B. RAPOPORT

Original articles

19 Prediction of recurrence of nonfunctioning pituitary tumours by loss of heterozygosity analysis: H. N. BUCH, D. RASKAUSKIENE, A. BAHAR, E. J. BICKNELL, W. E. FARRELL AND R. N. CLAYTON

26 Preoperative identification of clearly separated double pituitary adenomas: K. KIM, S. YAMADA, M. USUI AND T. SANO

31 Plasma concentrations of α-MSH, AgRP and leptin in lean and obese men and their relationship to differing states of energy balance perturbation: N. HOGGARD, A. M. JOHNSTONE, P. FABER, E. R. GIBNEY, M. ELIA, G. LOBLEY, V. RAYNER, G. HORGAN, L. HUNTER, S. BASHIR AND R. J. STUBBS

40 The sodium-iodide symporter protein is always present at a low expression and confined to the cell membrane in nonfunctioning nonadenomatous nodules of toxic nodular goitre: M. TONACCHERA, P. VIACAVA, G. FANELLI, P. AGRETTI, G. DE MARCO, M. DE SERVI, C. DI COSMO, L. CHIOVATO, A. PINCHERA AND P. VITTI

46 Circulating immunoglobulins that inhibit the binding of follicle-stimulating hormone to its receptor: a putative diagnostic role in resistant ovary syndrome?: V. A. CHIAUZZI, L. BUSSMANN, J. C. CALVO, V. SUNDBLAD AND E. H. CHARREAU

55 Prepubertal gynaecomastia: aetiology, course and outcome: R. EINAV-BACHAR, M. PHILLIP, Y. AURBACH-KLIPPER AND L. LAZAR

61 Diagnostic value of serum thyroglobulin measurements in the follow-up of differentiated thyroid carcinoma, a structured meta-analysis: C. F. A. EUSTATIA-RUTTEN, J. W. A. SMIT, J. A. ROMIJN, E. P. M. VAN DER KLEIJ-CORSSMIT, A. M. PEREIRA, M. P. STOKKEL AND J. KIEVIT

75 Serum adiponectin concentrations predict the developments of type 2 diabetes and the metabolic syndrome in elderly Koreans: K. M. CHOI, J. LEE, K. W. LEE, J. A. SEO, J. H. OH, S. G. KIM, N. H. KIM, D. S. CHOI AND S. H. BAIK

81 Different effects of short- and long-term recombinant hGH administration on ghrelin and adiponectin levels in GH-deficient adults: C. GIAVOLI, V. CAPPIELLO, S. CORBETTA, C. L. RONCHI, P. S. MORPURGO, E. FERRANTE, P. BECK-PECCOZ AND A. SPADA

88 Cord plasma concentrations of adiponectin and leptin in healthy term neonates: positive correlation with birthweight and neonatal adiposity: P.-J. TSAI, C.-H. YU, S.-P. HSU, Y.-H. LEE, C.-H. CHIOU, Y.-W. HSU, S.-C. HO AND C.-H. CHU

94 Different states of clinical control are associated with changes in IGF-I and IGFBPs in children with congenital adrenal hyperplasia due to 21-hydroxylase deficiency: H. M. CUNHA, L. L. KAGOHARA ELIAS, C. CAMACHO-HÜBNER, A. C. MOREIRA AND C. E. MARTINELLI

102 Does iodine-131 *meta*-iodobenzylguanidine (MIBG) scintigraphy have an impact on the management of sporadic and familial phaeochromocytoma?: D. TAÏEB, F. SEBAG, J. G. HUBBARD, O. MUNDLER, J. F. HENRY AND B. CONTE-DEVOLX

109 No mutation in the *KCNE3* potassium channel gene in Chinese thyrotoxic hypokalaemic periodic paralysis patients: N. L. S. TANG, C. C. CHOW, G. T. C. KO, M. H. L. TAI, R. KWOK, X. Q. YAO AND C. S. COCKRAM

113 The effects of GH replacement therapy on cardiac morphology and function, exercise capacity and serum lipids in elderly patients with GH deficiency: T. ELGZYRI, J. CASTENFORS, E. HÄGG, C. BACKMAN, M. THORÉN AND M. BRAMNERT

123 A longitudinal study of bone-related biochemical changes at the menopause: B. E. CHRISTOPHER NORDIN, J. M. WISHART, P. M. CLIFTON, R. MCARTHUR, F. SCOPACASA, A. G. NEED, H. A. MORRIS, P. D. O'LOUGHLIN AND M. HOROWITZ

131 Saliva and bloodspot cortisol: novel sampling methods to assess hydrocortisone replacement therapy in hypoadrenal patients: V. WONG, T. YAN, A. DONALD AND M. MCLEAN

138 Assessment of disease activity in acromegaly by means of a single blood sample: comparison of the 120th minute postglucose value with spontaneous GH secretion and with the IGF system: F. MINUTO, E. RESMINI, M. BOSCHETTI, M. ARVIGO, M. P. SORMANI, M. GIUSTI, D. FERONE AND A. BARRECA

145 Completion thyroidectomy in patients with thyroid cancer who initially underwent unilateral operation: E. S. KIM, T. Y. KIM, J. M. KOH, Y. I. KIM, S. J. HONG, W. B. KIM AND Y. K. SHONG

149 Glucocorticoids contribute to the heritability of leptin in Scottish adult female twins: A. M. WALLACE, E. BANFIELD, M. INGRAM, R. FRASER, L. SWAN, W. S. HILLIS AND J. M. C. CONNELL

155 Head circumference and linear growth during the first 3 years in treated congenital hypothyroidism in relation to aetiology and initial biochemical severity: S. M. NG, S. C. WONG AND M. DIDI

160 **Erratum**

Author's Declaration

Instructions for authors

Volume 61, Number 2, August 2004

Review

163 Uses for recombinant human TSH in patients with thyroid cancer and nodular goiter: W. W. WOODMANSEE AND B. R. HAUGEN

Original articles

174 Aldosterone synthase gene variation and adrenocortical response to sodium status, angiotensin II and ACTH in normal male subjects: B. KENNON, M. C. INGRAM, E. C. FRIEL, N. H. ANDERSON, S. M. MACKENZIE, E. DAVIES, L. SHAKERDI, A. M. WALLACE, R. FRASER AND J. M. C. CONNELL

182 Proton magnetic resonance spectroscopy and single photon emission computed tomography study of the brain in asymptomatic young hyperlipidaemic Asian Indians in North India show early abnormalities: S. SINHA, A. MISRA, V. KUMAR, N. R. JAGANNATHAN, C. S. BAL, R. M. PANDEY, R. SINGHANIA AND DEEPAK

190 Genetics of endometriosis: a role for the progesterone receptor gene polymorphism PROGINS?: D. LATTUADA, E. SOMIGLIANA, P. VIGANÒ, M. CANDIANI, G. PARDI AND A. M. DI BLASIO

195 A polymorphic CA repeat in the IGF-I gene is associated with gender-specific differences in body height, but has no effect on the secular trend in body height: I. RIETVELD, J. A. M. J. L. JANSSEN, E. F. C. VAN ROSSUM, J. J. HOUWING-DUISTERMAAT, F. RIVADENEIRA, A. HOFMAN, H. A. P. POLS, C. M. VAN DUIJN AND S. W. J. LAMBERTS

204 Lack of independent relationship between plasma adiponectin, leptin levels and bone density in nondiabetic female adolescents: K.-C. HUANG, W.-C. CHENG, R.-F. YEN, K.-S. TSAI, T.-Y. TAI AND W.-S. YANG

209 Cabergoline addition to depot somatostatin analogues in resistant acromegalic patients: efficacy and lack of predictive value of prolactin status: R. COZZI, R. ATTANASIO, S. LODRINI AND G. LASIO

216 Polymorphisms in oestrogen and progesterone receptor genes: possible influence on prolactin levels in women: L. WESTBERG, H.-P. HO, F. BAGHAEI, S. NILSSON, J. MELKE, R. ROSMOND, G. HOLM, P. BJÖRNTORP AND E. ERIKSSON

224 Systematic dose-extension of octreotide LAR: the importance of individual tailoring of treatment in patients with acromegaly: H. E. TURNER, V. A. THORNTON-JONES AND J. A. H. WASS

232 Subclinical hypothyroidism is associated with a low-grade inflammation, increased triglyceride levels and predicts cardiovascular disease in males below 50 years: J. KVETNY, P. E. HELDGAARD, E. M. BLADBJERG AND J. GRAM

239 BRAF mutations in an Italian cohort of thyroid cancers: L. FUGAZZOLA, D. MANNAVOLA, V. CIRELLO, G. VANNUCCHI, M. MUZZA, L. VICENTINI AND P. BECK-PECCOZ

244 The relationship between circulating osteoprotegerin levels and bone mineral metabolism in healthy women: K. W. OH, E. J. RHEE, W. Y. LEE, S. W. KIM, E. S. OH, K. H. BAEK, M. I. KANG, M. G. CHOI, H. J. YOO AND S. W. PARK

250 Marked GH secretion after ghrelin alone or combined with GH-releasing hormone (GHRH) in obese patients: P. ALVAREZ-CASTRO, M. L. ISIDRO, J. GARCIA-BUELA, A. LEAL-CERRO, F. BROGLIO, F. TASSONE, E. GHIGO, C. DIEGUEZ, F. F. CASANUEVA AND F. CORDIDO

256 Effects of clomiphene and raloxifene on gonadotrophin secretion in postmenopausal women: evidence of nongenomic action: A. GARAS, G. TRYPSIANIS, A. KALLITSARIS, S. MILINGOS AND I. E. MESSINIS

263 Association of a thyroglobulin gene polymorphism with Hashimoto's thyroiditis in the Japanese population: Y. BAN, T. TOZAKI, M. TANIYAMA, M. TOMITA AND Y. BAN

269 A single nucleotide polymorphism in the CD40 gene on chromosome 20q (GD-2) provides no evidence for susceptibility to Graves' disease in UK Caucasians: J. M. HEWARD, M. J. SIMMONDS, H. FOXALL, J. A. FRANKLYN AND S. C. L. GOUGH

273 Abnormal regulation of thirst and vasopressin secretion following surgery for craniopharyngioma: D. SMITH, F. FINUCANE, J. PHILLIPS, P. H. BAYLIS, J. FINUCANE, W. TORMEY AND C. J. THOMPSON

280 **Letters to the Editors**

Author's Declaration

Instructions for authors

Volume 61, Number 3, September 2004

Reviews

285 The thyroid and the skeleton: E. MURPHY AND G. R. WILLIAMS

299 Medullary thyroid carcinoma: S. LEBOULLEUX, E. BAUDIN, J.-P. TRAVAGLI AND M. SCHLUMBERGER

Original articles

311 Aberrant adrenal sensitivity to multiple ligands in unilateral incidentaloma with subclinical autonomous cortisol hypersecretion: a prospective clinical study: Y. REZNIK, H. LEFEBVRE, V. ROHMER, B. CHARBONNEL, A. TABARIN, P. RODIEN, P. LECOMTE, S. BARDET, C. COFFIN AND J. MAHOUDEAU

320 Traumatic brain injury and subarachnoid haemorrhage are conditions at high risk for hypopituitarism: screening study at 3 months after the brain injury: G. AIMARETTI, M. R. AMBROSIO, C. DI SOMMA, A. FUSCO, S. CANNAVÒ, M. GASPERI, C. SCARONI, L. DE MARINIS, S. BENVENGA, E. C. DEGLI UBERTI, G. LOMBARDI, F. MANTERO, E. MARTINO, G. GIORDANO AND E. GHIGO

327 Regulation of glucocorticoid receptor gamma (GRγ) by glucocorticoid receptor haplotype and glucocorticoid: A. STEVENS, R. DONN AND D. RAY

332 Effect of dieting on plasma leptin, soluble leptin receptor, adiponectin and resistin levels in healthy volunteers: B. E. WOLFE, D. C. JIMERSON, C. ORLOVA AND C. S. MANTZOROS
339 Both intrauterine growth restriction and postnatal growth influence childhood serum concentrations of adiponectin: A. LÓPEZ-BERMEJO, P. CASANO-SANCHO, J. M. FERNÁNDEZ-REAL, S. KIHARA, T. FUNAHASHI, F. RODRÍGUEZ-HIERRO, W. RICART AND L. IBAÑEZ
347 Metabolism of chylomicrons in patients with congenital lipoatrophic diabetes: a study with emulsion models of chylomicrons: B. L. WAJCHENBERG, R. F. AMÂNCIO, A. T. SANTOMAURO AND R. C. MARANHÃO
353 The relation of insulin, leptin and IGF-1 to birthweight in offspring of women with type 1 diabetes: R. S. LINDSAY, B. A. HAMILTON, A. A. CALDER, F. D. JOHNSTONE AND J. D. WALKER
360 Insulin-like growth factor-1 deficiency determines increased intima–media thickness at common carotid arteries in adult patients with growth hormone deficiency: A. COLAO, C. DI SOMMA, M. FILIPPELLA, F. ROTA, R. PIVONELLO, F. ORIO, G. VITALE AND G. LOMBARDI
367 Weight-related dosing, timing and monitoring hydrocortisone replacement therapy in patients with adrenal insufficiency: P. M. MAH, R. C. JENKINS, A. ROSTAMI-HODJEGAN, J. NEWELL-PRICE, A. DOANE, V. IBBOTSON, G. T. TUCKER AND R. J. ROSS
376 Gonadotrophin receptor blocking antibodies measured by the use of cell lines stably expressing human gonadotrophin receptors are not detectable in women with 46, XX premature ovarian failure: M. TONACCHERA, E. FERRARINI, A. DIMIDA, P. AGRETTI, G. DE MARCO, M. DE SERVI, E. GIANETTI, L. CHIOVATO, E. PUCCI, C. D. PRA, C. BETTERLE, F. AGHINI-LOMBARDI, P. VITTI AND A. PINCHERA
382 Type V phosphodiesterase inhibitor treatments for erectile dysfunction increase testosterone levels: E. CAROSA, P. MARTINI, F. BRANDETTI, S. M. DI STASI, F. LOMBARDO, A. LENZI AND E. A. JANNINI
387 Recombinant GH replacement in hypopituitary adults improves endothelial cell function and reduces calculated absolute and relative coronary risk: T. A. M. ABDU, T. A. ELHADD, H. BUCH, D. BARTON, R. NEARY AND R. N. CLAYTON
394 Characteristics of recovery of adrenocortical function after treatment for Cushing's syndrome due to pituitary or adrenal adenomas: M. KLOSE, K. JØRGENSEN AND L. Ø. KRISTENSEN
400 Changes in endothelium-dependent arterial dilation before and after subtotal thyroidectomy in subjects with hyperthyroidism: X. GUANG-DA, C. HONG-YAN AND Z. XIAN-MEI

Author's Declaration

Instructions for authors

Volume 61, Number 4, October 2004

Reviews

405 Cellular immune responses in autoimmune thyroid disease: A. P. WEETMAN

Commentary

414 Autoantibodies against the FSH receptor: association or causation?: L. C. LAYMAN
416 Abundance of adiponectin in the newborn: D. DUNGER AND K. ONG

Original articles

418 Plasma adiponectin levels in newborns are higher than those in adults and positively correlated with birth weight: Y. KOTANI, I. YOKOTA, S. KITAMURA, J. MATSUDA, E. NAITO AND Y. KURODA
424 Abnormalities of proinsulin processing in functioning insulinomas: clinical implications: P. WIESLI, A. PERREN, P. SAREMASLANI, T. PFAMMATTER, G. A. SPINAS AND C. SCHMID
431 Inhibition of endothelial proliferation by the somatostatin analogue SOM230: R. L. ADAMS, I. P. ADAMS, S. W. LINDOW AND S. L. ATKIN
437 Growth hormone (GH)-induced reconstitution of CD8+ CD28+ T lymphocytes in a rare case of severe lymphopenia associated with Juvenile Haemochromatosis and Turner's syndrome: G. PORTO, E. CRUZ, H. P. MIRANDA, B. PORTO, J. C. VASCONCELOS, R. LACERDA, A. ROETTO, F. DARAIO AND C. BACELAR
441 Children with congenital hypothyroidism are at risk of adult obesity due to early adiposity rebound: S. C. WONG, S. M. NG AND M. DIDI
447 Assessment of the role of 17β-oestradiol in bone metabolism in men: does the assay technique matter? The MINOS study: P. SZULC, B. CLAUSTRAT, F. MUNOZ, F. MARCHAND AND P. D. DELMAS
458 Long-term negative impact on quality of life in patients with successfully treated Cushing's disease: A. H. HEALD, S. GHOSH, S. BRAY, C. GIBSON, S. G. ANDERSON, H. BUCKLER AND H. L. FOWLER
466 Bone mineral density in hyperthyroidism: H. KARGA, P. D. PAPAPETROU, A. KORAKOVOUNI, F. PAPANDROULAKI, A. POLYMERIS AND G. PAMPOURAS
473 Insulin sensitivity in growth hormone-deficient children: influence of replacement treatment: G. RADETTI, B. PASQUINO, E. GOTTARDI, I. B. CONTADIN, F. RIGON AND G. AIMARETTI
478 Cavernous and inferior petrosal sinus sampling in the evaluation of ACTH-dependent Cushing's syndrome: C. LIU, J. C. LO, C. F. DOWD, C. B. WILSON, S. KUNWAR, D. C. ARON AND J. B. TYRRELL

487 Combined evaluation of resting IGF-I, N-terminal propeptide of type III procollagen (PIIINP) and C-terminal cross-linked telopeptide of type I collagen (ICTP) levels might be useful for detecting inappropriate GH administration in athletes: a preliminary report: A. SARTORIO, F. AGOSTI, N. MARAZZI, N. A. MAFFIULETTI, S. G. CELLA, A. E. RIGAMONTI, L. GUIDETTI, L. DI LUIGI AND E. E. MULLER

494 Diagnosis and management of amiodarone-induced thyrotoxicosis in Europe: results of an international survey among members of the European Thyroid Association: L. BARTALENA, W. M. WIERSINGA, M. L. TANDA, F. BOGAZZI, E. PIANTANIDA, A. LAI AND E. MARTINO

503 Ghrelin secretion is inhibited by glucose load and insulin-induced hypoglycaemia but unaffected by glucagon and arginine in humans: F. BROGLIO, C. GOTTERO, F. PRODAM, S. DESTEFANIS, C. GAUNA, E. ME, F. RIGANTI, D. VIVENZA, A. RAPA, V. MARTINA, E. ARVAT, G. BONA, A. J. VAN DER LELY AND E. GHIGO

510 K40E: a novel succinate dehydrogenase (SDH)B mutation causing familial phaeochromocytoma and paraganglioma: C. M. MCDONNELL, D. E. BENN, D. J. MARSH, B. G. ROBINSON AND M. R. ZACHARIN

515 Association of serum paraoxonase activity with insulin sensitivity and oxidative stress in hyperthyroid and TSH-suppressed nodular goitre patients: D. G. YAVUZ, M. YÜKSEL, O. DEYNELI, Y. OZEN, H. AYDIN AND S. AKALIN

522 **Erratum**

Author's Declaration

Instructions for authors

Volume 61, Number 5, November 2004

Reviews

523 Molecular detection of thyroid cancer: an update: J. BOJUNGA AND S. ZEUZEM

531 Radiosurgery for pituitary adenomas: M. BRADA, T. V. AJITHKUMAR AND G. MINNITI

Original articles

544 Maternal soluble tumour necrosis factor receptor type 2 (sTNFR2) and adiponectin are both related to blood pressure during gestation and infant's birthweight: A. LÓPEZ-BERMEJO, J. M. FERNÁNDEZ-REAL, E. GARRIDO, R. ROVIRA, R. BRICHS, P. GENARÓ, C. BACH, D. CABRERO, S. KIHARA, T. FUNAHASHI, J. VENDRELL AND W. RICART

553 Clinical features, diagnosis, treatment and molecular studies in paediatric Cushing's syndrome due to primary nodular adrenocortical hyperplasia: H. L. STORR, H. MITCHELL, F. M. SWORDS, K. M. MAIN, P. C. HINDMARSH, P. R. BETTS, N. J. SHAW, D. I. JOHNSTON, A. J. L. CLARK, R. H. REZNEK, A. B. GROSSMAN AND M. O. SAVAGE

560 Testosterone increases bone mineral density in female-to-male transsexuals: a case series of 15 subjects: A. TURNER, T. C. CHEN, T. W. BARBER, A. O. MALABANAN, M. F. HOLICK AND V. TANGPRICHA

567 Uterus size and ovarian morphology in women with isolated growth hormone deficiency, hypogonadotrophic hypogonadism and hypopituitarism: T. TSILCHOROZIDOU AND G. S. CONWAY

573 Characterization of a promoter polymorphism in the glucocorticoid receptor gene and its relationship to three other polymorphisms: E. F. C. VAN ROSSUM, P. H. M. ROKS, F. H. DE JONG, A. O. BRINKMANN, H. A. P. POLS, J. W. KOPER AND S. W. J. LAMBERTS

582 Responses to the 35% CO_2 challenge in postpartum women: J. KAYE, P. SOOTHILL, M. HUNT AND S. LIGHTMAN

589 Spontaneous reporting of adverse reactions to carbimazole and propylthiouracil in the UK: S. H. S. PEARCE

595 Associations of insulin-like growth factors, insulin-like growth factor binding proteins and acid-labile subunit with coronary heart disease: F. FISCHER, H. SCHULTE, S. MOHAN, M.-C. TATARU, E. KÖHLER, G. ASSMANN AND A. VON ECKARDSTEIN

603 Failure to normalize parathyroid hormone during treatment of vitamin D deficiency in Asian patients: S. R. PEACEY, D. WRIGHT AND M. J. HARRIES

607 Serum homocysteine concentrations in children with growth hormone (GH) deficiency before and after 12 months GH replacement: V. ESPOSITO, S. DI BIASE, T. LETTIERO, D. LABELLA, R. SIMEONE AND M. SALERNO

612 Clinical results of anti-inflammatory therapy in Graves' ophthalmopathy and association with thyroidal autoantibodies: A. K. ECKSTEIN, M. PLICHT, H. LAX, H. HIRCHE, B. QUADBECK, K. MANN, K. P. STEUHL, J. ESSER AND N. G. MORGENTHALER

619 Apolipoprotein E phenotype affects the malondialdehyde-modified LDL concentration and forearm endothelial function in postmenopausal women: M. TSUDA, M. SANADA, Y. HIGASHI, Y. HARA, I. KODAMA, K. CHAYAMA, M. YOSHIZUMI AND K. OHAMA

626 Auxological outcome and time to menarche following long-acting goserelin therapy in girls with central precocious or early puberty: W. F. PATERSON, E. MCNEILL, D. YOUNG AND M. D. C. DONALDSON

635 A novel *PROP1* gene mutation (157delA) in Japanese siblings with combined anterior pituitary hormone deficiency: K. TATSUMI, K. KIKUCHI, K. TSUMURA AND N. AMINO

641 Long-term follow-up study of radioiodine treatment of hyperthyroidism: S. METSO, P. JAATINEN, H. HUHTALA, T. LUUKKAALA, H. OKSALA AND J. SALMI

649 **Letters to the Editors**

Author's Declaration

Instructions for authors

Volume 61, Number 6, December 2004

Reviews

655 The effects of recombinant human thyrotropin, in normal subjects and patients with goitre: V. E. NIELSEN, S. J. BONNEMA AND L. HEGEDÜS

664 Endocrine effects of tobacco smoking: K. TZIOMALOS AND F. CHARSOULIS

Original articles

675 A new less-invasive and more informative low-dose ACTH test: salivary steroids in response to intramuscular corticotrophin: L. N. CONTRERAS, A. L. ARREGGER, G. G. PERSI, N. S. GONZALEZ AND E. M. CARDOSO

683 Survivors of childhood acute lymphoblastic leukaemia, with radiation-induced GH deficiency, exhibit hyperleptinaemia and impaired insulin sensitivity, unaffected by 12 months of GH treatment: B. BÜLOW, K. LINK, B. AHRÉN, A.-S. NILSSON AND E. M. ERFURTH

692 Changed bone status in human immunodeficiency virus type 1 (HIV-1) perinatally infected children is related to low serum free IGF-I: S. STAGI, G. BINDI, F. GALLUZZI, L. GALLI, R. SALTI AND M. DE MARTINO

700 Decreased plasma adiponectin concentrations are closely associated with nonalcoholic hepatic steatosis in obese individuals: G. TARGHER, L. BERTOLINI, L. SCALA, F. POLI, L. ZENARI AND G. FALEZZA

704 Are there disadvantages in administering ^{131}I ablation therapy in patients with differentiated thyroid carcinoma without a preablative diagnostic ^{131}I whole-body scan?: M. SALVATORI, G. PEROTTI, V. RUFINI, M. L. MAUSSIER AND M. DOTTORINI

711 Relationship of nonalcoholic hepatic steatosis to overnight low-dose dexamethasone suppression test in obese individuals: G. ZOPPINI, G. TARGHER, C. VENTURI, C. ZAMBONI AND M. MUGGEO

716 Genomic structure of the human gene for protein kinase A regulatory subunit R1-beta (PRKAR1B) on 7p22: no evidence for mutations in familial hyperaldosteronism type II in a large affected kindred: M. S. ELPHINSTONE, R. D. GORDON, A. SO, Y. W. A. JESKE, C. A. STRATAKIS AND M. STOWASSER

724 Insulin sensitivity and coronary vasoreactivity: insulin sensitivity relates to adenosine-stimulated coronary flow response in human subjects: N. DAGRES, B. SALLER, M. HAUDE, J. HÜSING, C. VON BIRGELEN, A. SCHMERMUND, S. SACK, D. BAUMGART, K. MANN AND R. ERBEL

732 Utility of fine-needle aspiration for diagnosis of carcinoma associated with multinodular goitre: A. RÍOS, J. M. RODRÍGUEZ, P. J. GALINDO, M. MONTOYA, F. J. TEBAR, J. SOLA, M. CANTERAS AND P. PARRILLA

738 Adiponectin is independently associated with insulin sensitivity in women with polycystic ovary syndrome: J. SPRANGER, M. MÖHLIG, U. WEGEWITZ, M. RISTOW, ANDREAS F. H. PFEIFFER, T. SCHILL, H. W. SCHLÖSSER, G. BRABANT AND C. SCHÖFL

747 Acute management of pituitary apoplexy – surgery or conservative management?: J. AYUK, E. J. MCGREGOR, R. D. MITCHELL AND N. J. L. GITTOES

753 Correlations of adiponectin level with insulin resistance and atherosclerosis in Japanese male populations: K. HIGASHIURA, N. URA, J.-I. OHATA, N. TOGASHI, S. TAKAGI, S. SAITOH, H. MURAKAMI, Y. TAKAGAWA AND K. SHIMAMOTO

760 Progestogens of varying androgenicity and cardiovascular risk factors in postmenopausal women receiving oestrogen replacement therapy: S. KWOK, P. L. SELBY, P. MCELDUFF, I. LAING, B. MACKNESS, M. I. MACKNESS, H. PRAIS, J. MORGAN, A. P. YATES, P. N. DURRINGTON AND F. M. SCI

768 High cardiovascular risk in patients with Cushing's syndrome according to 1999 WHO/ISH guidelines: T. MANCINI, B. KOLA, F. MANTERO, M. BOSCARO AND G. ARNALDI

778 **Letters to the Editors**

783 **Referees**

785 **Author Index**

795 **Subject Index**

Volume Contents

Author's Declaration

Instructions for authors